

To  
SEE (BMW)  
RSPCB, JAIPUR

23/02/2021

Form - IV  
(See rule 13)  
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Dr. Bharat Rappurohet
	(ii) Name of HCF or CBMWTF	:	Shalby Hospitals
	(iii) Address for Correspondence	:	Sec-3, Chitarkoot Scheme, Near Gandhi Path, Jaipur.
	(iv) Address of Facility	:	Jaipur
	(v) Tel. No, Fax. No	:	9057901410/9309393098
	(vi) E-mail ID	:	dymS-jaipur@shalby.in
	(vii) URL of Website	:	www.shalby.org
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) HCF (Private)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 19/05/2017 Valid upto: 30/04/2022
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto:
2	Type of Health Care Facility	:	HCF (Private Hospital Bedded)
	(i) Bedded Hospital	:	No. of Beds: 240
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	F(BMW) Jaipur /124(i) /2017-2018/1277-1279
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	—
	(ii) No. of Beds covered by CBMWTF	:	—
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	— Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	— Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 50 Red Category: 50 White: 25 Blue Category: 25 General Solid Waste: 50
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	:	
	(i) Details of the on-site storage	:	Size: 6x10

21/2/2021  
23/2/2021

	facility		Capacity: 150 kg			
			Provision of on-site storage : (Cold storage or any other provision)			
	(ii) Disposal facilities		Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
			Incinerators	—		
			Plasma Pyrolysis			
			Autoclaves	✓		
			Microwave	—		
			Hydroclave	—		
			Shredder	—		
			Needle tip cutter or destroyer	✓		
			Sharps	—		
			Encapsulation or concrete pit	—		
			Deep burial pits	—		
			Chemical disinfection:	10% Sodium Hypochlorite		
			Any other treatment equipment:	—		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) Nil			
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	Nil			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity Generated	Where disposed	
			Incineration			
			Ash	Nil		
			ETP Sludge	Nil		
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Instomedix Pvt Ltd.			
	(vii) List of member HCF not handed over bio-medical waste.		NA			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes			



7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		49
	(ii) Number of personnel trained		17
	(iii) Number of personnel trained at the time of induction		14
	(iv) Number of personnel not undergone any training so far		No
	(v) Whether standard manual for training is available?		weekly.
8	Details of the accident occurred during the year		—
	(i) Number of Accidents occurred		—
	(ii) Number of persons affected		—
	(iii) Remedial Action taken (Please attach details if any)		—
	(iv) Any Fatality occurred, details		—
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA.
	Details of Continuous online emission monitoring systems installed	NA.	10%. Sodium Hypochlorite treated.
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		✓
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		—
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator) —

Certified that the above report is for the period from

01/01/2020 to 31/12/2020.

Dr. Bharat Rayapurahit  
Name and Signature of the Head of the Institution

Date:

Place: Jaipur.



FORM - I  
[See rule 4(o), 5(i) and 15(2)]

ACCIDENT REPORTING

1. Date and time of accident : Nil
2. Type of Accident : Nil
3. Sequence of events leading to accident : Nil
4. Has the Authority of been informed immediately: Nil
5. The type of waste involved in accident : Nil
6. Assessment of the effects of the accidents on human health and the environment : Nil
7. Emergency measures taken : Nil
8. Steps taken to alleviate the effects of accidents : Nil
9. Steps taken to prevent the recurrence of such an accident : Nil
10. Does your facility has Emergency Control policy?  
If yes, give details : yes

Date : .....

Place : Jaipur

Signature : .....

Designation : .....

