


Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	—
	(i) Name of the authorized person (occupier or operator of facility)	:	Mr. Irshad Khan
	(ii) Name of HCF or CBMWTF	:	ELite Engineers
	(iii) Address for Correspondence	:	Plot No B, Sbeem 5, Ahinsachowk - Jabalpur
	(iv) Address of Facility	:	Gram. Kathonda, Madhota, Jabalpur
	(v) Tel. No, Fax. No	:	0761.2648765.
	(vi) E-mail ID	:	info.jabalpur@shelby.org
	(vii) URL of Website	:	www.shelby.org
	(viii) GPS coordinates of HCF or CBMWTF	:	23°12'42, 48'N, 79°54'52, 58' E
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) — PVT.
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: AWB-105533 Valid upto: 31-12-2027
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: — 31-12-2027
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 180
	(ii) Non-bedded hospital	:	— N/A —
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	AWB-105533 - Exp Dt - 31-12-2027
3	Details of CBMWTF	:	—
	(i) Number of health care facilities covered by CBMWTF	:	339 —
	(ii) No. of Beds covered by CBMWTF	:	8330 —
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	100 Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	1897 Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: — 4068.963 - Kg Red Category: — 3598.29 - Kg White: — 100.355 Kg Blue Category: — 2827.92 Kg General Solid Waste: — N/A —
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	:	
	(i) Details of the on-site storage	:	Size: — N/A —



facility

(ii) Disposal facilities

Capacity:

Provision of on-site storage : (Cold storage or any other provision)

Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
Incinerators	—	—	—
Plasma	—	—	—
Pyrolysis	—	—	—
Autoclaves	—	—	—
Microwave	—	—	—
Hydroclave	—	—	—
Shredder	—	—	—
Needle tip cutter or destroyer	—	—	—
Sharps	—	—	—
Encapsulation or concrete pit	—	—	—
Deep burial pits	—	—	—
Chemical disinfection:	—	—	—
Any other treatment equipment:	—	—	—

(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum

Red Category (like plastic, glass, etc.)

(iv) No. of Vehicles used for collection and transportation of biomedical waste

MP-20, GB-0487,

(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum

	Quantity Generated	Where disposed
Incineration	—	—
Ash	—	—
ETP Sludge	—	—

(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of


(vii) List of member HCF not handed over bio-medical waste.

6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period

Yes

7		Details trainings conducted on BMW	
(i)	Number of trainings conducted on BMW Management		Twice in a month.
(ii)	Number of personnel trained		12 Peoples.
(iii)	Number of personnel trained at the time of induction		10 Peoples.
(iv)	Number of personnel not undergone any training so far		—
(v)	Whether standard manual for training is available?		Available.
8		Details of the accident occurred during the year	
(i)	Number of Accidents occurred		Nil.
(ii)	Number of persons affected		— N/A —
(iii)	Remedial Action taken (Please attach details if any)		— N/A —
(iv)	Any Fatality occurred, details		— N/A —
9		Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards?	
		Details of Continuous online emission monitoring systems installed	
10		Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	
11		Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	
12		Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from
 Reports of BMW waste Since JAN 2022 to Dec 2022,


 CAO
 Name Shal Singh Head of the Institution

Date: 05-01-2023
 Place: Jabalpur (M.P)