

Form - IV
(See rule 13)
ANNUAL REPORT



[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or : operator of facility)	:	Mr. G. Radwin. Sandeep Nayyar
	(ii) Name of HCF or CBMWTF	:	SHALBY HOSPITAL MOHALI (SHALBY LIMITED) PH. IX Sec-63 S. AS NAGAR MOHALI
	(iii) Address for Correspondence	:	SHALBY HOSPITAL (SHALBY LIMITED) Ph. IX Sec 63 S.A.S NAGAR MOHALI
	(iv) Address of Facility	:	RAIN BOW ENVIRONMENTAL PVT. LTD. MOHALI
	(v) Tel. No, Fax. No	:	96533-31818
	(vi) E-mail ID	:	engineering1.mohali@shalby.in
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) <input checked="" type="checkbox"/> Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: BMW/Fresh/SAS/2025/27705200valid up to 31/01/2026
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to:
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds:..... 90.
	(ii) Non-bedded hospital	:	

	(Clinic or Blood Bank or Clinical Research Institute or Laboratory or Veterinary Hospital or any other)	
	(iii) License number and its date of expiry	BMW/Prebn/SAS/2025/27705200 31/01/2026
3.	Details of CBMWTF	:
	(i) Number healthcare facilities covered by CBMWTF	:
	(ii) No of beds covered by CBMWTF	:
	(iii) Installed treatment and disposal capacity of CBMWTF:	: _____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	: _____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	: Yellow Category 5492.643 Red Category : 9212.012 White: 194.521 Blue Category : 2951.97 General Solid waste:
5	Details of the Storage, treatment, transportation, processing and Disposal Facility	
	(i) Details of the on-site storage facility	: Size : 15.35
		Capacity : 1535
		Provision of on-site storage any other provision) N.A : (cold storage or

disposal facilities		Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
		Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)			
(iv) No of vehicles used for collection and transportation of biomedical waste	:	01			
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity generated	Where disposed	
		Incineration Ash ETP Sludge			
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Rainbow Environment Mental. PVT. LTD. Morali			
(vii) List of member HCF not handed over bio-medical waste.					
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		No			
7 Details trainings conducted on BMW					
(i) Number of trainings conducted on BMW Management.		06			

	(ii) number of personnel trained		20
	(iii) number of personnel trained at the time of induction		
	(iv) number of personnel not undergone any training so far		
	(v) whether standard manual for training is available?		Yes
	(vi) any other information)		
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		-
	(ii) Number of the persons affected		-
	(iii) Remedial Action taken (Please attach details if any)		-
	(iv) Any Fatality occurred, details.		No
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		-
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Yes
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		0
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

.....
 JAN-2025 to Dec-2025.


 Name and Signature of the Head of the Institution

Date:

Place Mohali P.B.

