


Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Dr. Sandeep Shrivastav
	(ii) Name of HCF or CBMWTF	:	ELITE ENGINEER'S
	(iii) Address for Correspondence	:	Plot B, Scheme No. 5, Ahinsa Chowk, Kachnar City, Jabalpur (MP)
	(iv) Address of Facility	:	Gram - Kathaunda, Madhatal.
	(v) Tel. No, Fax. No	:	0761-2648765
	(vi) E-mail ID	:	Info.Jabalpur@shalby.org
	(vii) URL of Website	:	WWW.Shalby.org
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation BMW-105533 No.: ... 1-Apr-2026 valid up to 31-3-2027
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to:
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: ... 180
	(ii) Non-bedded hospital	:	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	— N/A —
	(iii) License number and its date of expiry	:	
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	749
	(ii) No of beds covered by CBMWTF	:	9351
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	1515.16 Kg per day



	(iv) Quantity of biomedical waste treated or disposed by CBMWTF :	726.216 Kg/day		
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis) :	Yellow Category : 2240.18		
		Red Category : 6453.01		
		White: 82.95		
		Blue Category : 7061.46		
		General Solid waste: NA		
5	Details of the Storage, treatment, transportation, processing and Disposal Facility			
(i) Details of the on-site storage facility :	Size :	N/A		
	Capacity :	N/A		
	Provision of on-site storage : (cold storage or any other provision)			
(ii) Details of the treatment or disposal facilities :	Type of treatment equipment	No of units	Capacity Kg/day	Quantity of treated or disposed in kg per annum
	Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. :	Red Category (like plastic, glass etc.)	N/A		
(iv) No of vehicles used for collection and transportation of biomedical waste :	MP 2067B 1714			
(v) Details of incineration ash and ETP sludge generated and disposed	Quantity generated	Where disposed		

	during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge	— — —
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		—
	(vii) List of member HCF not handed over bio-medical waste.		
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		yes,
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		Twice a Month
	(ii) number of personnel trained		193
	(iii) number of personnel trained at the time of induction		193
	(iv) number of personnel not undergone any training so far		NIL
	(v) whether standard manual for training is available?		Available
	(vi) any other information		NA
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		7 NSE
	(ii) Number of the persons affected		7
	(iii) Remedial Action taken (Please attach details if any)		yes viral marker done
	(iv) Any Fatality occurred, details.		Vaccination done
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
11	Is the disinfection method or sterilization meeting the log 4		

	standards? How many times you have not met the standards in a year?		Physically, was two Time Per year
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

..... Since Jan-2025 to Dec-2025

[Signature]
 Name and Signature of the Head of the Institution
 Medical Superintendent
 Shalby Hospital

Date: 27/03/2026
 Place: Jabalpur.

