

Form - IV  
(See rule 13)  
ANNUAL REPORT



[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Dr. Prabhjot Singh
	(ii) Name of HCF or CBMWTF	:	SHALBY HOSPITAL Mohali CSHALBY L.T-D-2
	(iii) Address for Correspondence	:	Ph. XX-63 SAS NAGAR Mohali
	(iv) Address of Facility	:	Ph-9 Sec-63 SAS NAGAR Mohali
	(v) Tel. No, Fax. No	:	01653331818
	(vi) E-mail ID	:	Engineering1.mohali@shelby.in
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: ..B.M.W./Renwal/SAS/2023/21410574 ..... Valid upto: 31/03/2024.
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto:
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 90
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	B.M.W./Renwal/SAS/2023/21400574/04.03.23
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	_____ Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF-	:	_____ Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 3140.120 Red Category: 3632.141 White: 90.421 Blue Category: 1610.841 General Solid Waste:
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	:	
	(i) Details of the on-site storage	:	Size: 17.43

facility		Capacity: 1743		
(ii) Disposal facilities		Provision of on-site storage : (Cold storage or any other provision)		
Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum	
Incinerators	-			
Plasma Pyrolysis	-			
Autoclaves	-			
Microwave	-			
Hydroclave	-			
Shredder	-			
Needle tip cutter or destroyer	-			
Sharps	-			
Encapsulation or concrete pit	-			
Deep burial pits	-			
Chemical disinfection:	01	23KL	309,000KL	
Any other treatment equipment:	-	-		
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.)		
(iv) No. of Vehicles used for collection and transportation of biomedical waste	:			
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity Generated	Where disposed
		Incineration		
		Ash		
		ETP Sludge		
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		RAINBOW ENVIRONMENTS PVE LTD MUMBAI P.B		
(vii) List of member HCF not handed over bio-medical waste.				
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		NO		

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		
	(ii) Number of personnel trained		23
	(iii) Number of personnel trained at the time of induction		12
	(iv) Number of personnel not undergone any training so far		12
	(v) Whether standard manual for training is available?		Yes
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		No
	(ii) Number of persons affected		-
	(iii) Remedial Action taken (Please attach details if any)		-
	(iv) Any Fatality occurred, details		-
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		2
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Yes
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		0
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

JAN-23 to Aug-2023.

Name and Signature of the Head of the Institution



Date:

Place: